

DELL Technologies

LATITUDE 7320 | 7420 | 7520

Sleek looks, enhanced productivity



13" and 14" are configurable as a laptop or 2-in-1



MAXIMIZE PRODUCTIVITY ON OUR SMALLEST PREMIUM PCs

The Latitude 7000 Series is redesigned to be smaller and smarter than ever. Available in premium carbon fiber or stunning aluminum, we now offer a 15.6" screen. Power on instantly by opening the lid, and log in via ExpressSign-in. Maximize productivity with an available 4K or FHD display with ComfortView Plus low blue light solution, and a new keyboard & touchpad. Up-level video calls with an FHD camera, premium speakers and mics and intelligent audio. Keep your work private with camera shutter and SafeScreen options.



INNOVATION & SUSTAINABILITY

With Latitude innovation never stops. Work confidently on 4K or FHD options with ComfortView Plus that reduces harmful low blue light while maintaining exceptional color. IT can manage thermals within the BIOS. It's not tied to software which saves on hard drive size, and saves

IT management. Additionally, two pipes are better than one for removing heat, and our 2-in-1s have an adaptive thermal response, so they stay cooler on your lap than when on a desk. With our commitment to sustainability, waterborne paint is used on 100% of painted parts. Our 7000 Series PCs are EPEAT Gold registered.¹⁷



STAY CONNECTED, STAY PRODUCTIVE ANYWHERE

Have a reliable, fast connection whether on Wi-Fi or LTE. Dell's ExpressConnect provides seamless Wi-Fi no matter where you work. Intel® Wi-Fi 6 (Gig+) delivers nearly 3x faster speeds and next-gen security to PCs and wireless networks.¹⁶ No Wi-Fi, no problem. Stay connected with eSIM options and 4G LTE. Intel® Evo™ vPro® verified to deliver businesses the built-in security features, manageability, and stability IT needs along with consistent responsiveness, long real-world battery life and instant wake for an exceptional user experience.



WORLD'S MOST INTELLIGENT BUSINESS PCs WITH BUILT-IN AI¹⁸

Our 7000 Series features Dell Optimizer, built-in AI that learns and responds to the way you work to improve application performance, battery life and audio settings in the background. New ExpressConnect provides seamless Wi-Fi by pushing bandwidth to conferencing applications and joining the best access points. All controlled through one module, at no additional cost, to reduce lag and help you run at peak performance.

The world's most intelligent PCs featuring Dell Optimizer

Latitude devices feature Dell Optimizer a built-in artificial intelligence software that learns and adapts to your behavior to create a smarter, more personalized user experience. It automatically improves application performance, battery run time and more in the background, so you have fewer disruptions no matter where you're working.



ExpressConnect

Experience seamless Wi-Fi. New ExpressConnect²¹ automatically joins the strongest access point in the office and directs bandwidth to conferencing applications, wherever you work.




ExpressResponse

With Intel® Adaptix™ Technology, prioritize your most important apps, so they open faster and perform better.²²



ExpressSign-in

Get to work fast with our PC proximity sensor enabled by Intel® Context Sensing Technology that detects your presence to instantly wake and log you in via the IR camera and Windows Hello, all without lifting a finger. It locks when you walk away, so your work stays safer.²³



ExpressCharge

Dell Optimizer extends runtime and improves battery performance by adapting to your patterns. ExpressCharge Boost delivers up to 35% charge in about 20 minutes, or up to 80% charge in an hour with ExpressCharge.²⁴



Intelligent Audio

Collaborate like you're in the same room. Intelligent Audio enhances your audio quality and reduces background noises, so you can hear and be heard, creating a better conference experience for all.

Recommended accessories

LATITUDE 7320 | 7420 | 7520

ON-THE-GO



DELL PREMIUM
ACTIVE PEN | PN579X
(compatible with 2-in-1)

Easily take notes and stay organized whether in meetings or on the go.



DELL PREMIUM
RECHARGEABLE MOBILE
WIRELESS MOUSE | MS7421W

Long lasting rechargeable mouse with a battery life of up to 6 months on a full charge¹⁹.



DELL USB-C MOBILE
ADAPTER | DA310

Compact and portable 7-in-1 USB-C mobile adapter provides superb video, data connectivity and up to 90W power pass-through to your PC.



DELL PREMIER SLIM
BACKPACK 15 | PE1520PS

Travel light while making a positive impact on the environment by selecting the compact, eco-friendly backpack with EVA foam cushioning to protect your laptop from impact.

AT THE DESK



DELL THUNDERBOLT
DOCK | WD19TB

Work at full speed with Dell's powerful Thunderbolt Dock. Charge your system faster, support up to two 4K displays and connect to your peripherals via a single cable.



DELL DOCKING STATION
MOUNTING KIT | MK15

Easily attach your Dell Dock to the Dell Dock Mounting Kit and mount it behind a monitor, to a wall or under the desk for a clutter-free workspace.



DELL DUAL MONITOR ARM | MDA20

This comprehensive dual monitor and system mounting solution keeps your desk clutter free. It is the world's first monitor arm that offers swivel angle adjustment with a flip of the switch²⁰.



DELL MULTI-DEVICE WIRELESS
KEYBOARD AND MOUSE | KM7120W

Designed to work seamlessly across 3 devices, this compact keyboard mouse combo keeps your desk clutter-free and lets you stay productive with up to 36 months²⁵ of battery life.



DELL ULTRASHARP 27 4K
USB-C MONITOR | U2720Q

Experience captivating details and true-to-life color reproduction on this brilliant 27" 4K monitor with a wide color coverage.



DELL MOBILE ADAPTER
SPEAKERPHONE | MH3021P

Multiport adapter with integrated speakerphone offers an all-in-one connectivity and conferencing solution.



JABRA EVOLVE2 85

Engineered to keep you focused, this headset is perfect for virtual collaboration. Experience all-day comfort with leather-feel ear cushions and on-the-ear design.

Built for business

Experience a new way to work with Dell Technologies Unified Workspace. Intelligence built-in. Modernization built-on.

We know that having the right device is just the start to a great workday. Employees need intelligent, intuitive and responsive experiences that allow them to work productively and without interruption. Dell Technologies Unified Workspace is transforming the employee experience and ensuring IT has proactive, predictive and automated solutions to deliver on the promise of a modern workday, while simplifying their ability to deploy, secure, manage and support their environment.



ProDeploy in the Unified Workspace allows IT to move away from traditional, high-touch, manual deployment, and instead, ship devices preconfigured with company apps and settings from the Dell factory directly to their end users—having end users up and working on day one.



Dell Trusted Devices are a secure foundation for the modern mobile workforce. Our comprehensive family of endpoint security solutions work together to secure the device both above and below the OS, giving IT confidence and enabling end users to remain productive.



With Dell's modern end-point management solutions, we can accelerate uninterrupted workflow with automation, integration and optimization from one trusted partner.



**PROSUPPORT
CLIENT SUITE WITH
SUPPORTASSIST**

AI-driven predictive, proactive support keeps end-users working at full speed and IT admins looking ahead by virtually eliminating unplanned downtime.

Features & technical specifications

LATITUDE 7320 | 7420 | 7520

Feature

Model Number¹

Processor Options¹

Operating System¹

Memory Options^{1,2,3}

Chipset¹

Intel Responsiveness Technologies^{1,7}

Graphics^{1,13}

Display¹

Storage Options^{1,3}

Security¹

Technical Specifications

7320

11th Generation Intel® Core™
Processors up to i7 vPro 4-Core

Microsoft® Windows 10 Pro 64 bit
Microsoft® Windows 10 Home 64 bit
Ubuntu 20.04 LTS (Laptop)

Up to 32GB LPDDR4 SDRAM
(on board) 4266MHz

Integrated with the Processor

Intel® Rapid Storage Technology

Integrated Intel® Iris® Xe Graphics

2-in-1

13.3" FHD (1920x1080) Anti-reflective and Anti-smudge, Super Low Power, Touch, Corning® Gorilla Glass® 6 DXC, WVA, 300 nits, sRGB 100%, Active Pen Support
Laptop
13.3" FHD (1920 x 1080) Anti-glare, Non-touch, WVA, 250 nits, NTSC 45%
13.3" FHD (1920 x 1080) Anti-glare, Super Low Power, Non-Touch, ComfortView Plus Low Blue Light, WVA, 400 nits, sRGB 100%
13.3" FHD (1920 x 1080) Anti-glare, Integrated Touch, WVA, 300 nits, NTSC 72%
13.3" FHD (1920 x 1080) Anti-glare, Touch, Digital Privacy SafeScreen, WVA, 300 nits, sRGB 100%

SSD M.2 2230 PCIe Gen 3 NVMe up to 512GB
SSD M.2 2280 PCIe Gen 3 NVMe up to 1TB
SSD M.2 2280 PCIe Gen 3 NVMe up to 512GB OPAL SED

TPM 2.0 FIPS 140-2 Certified, TCG Certified
Optional Windows Hello Compliant Fingerprint Reader in power button
Optional Security Hardware Authentication Bundles
1: Touch Fingerprint Reader (in Power Button) with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification
2: Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification
3: Touch Fingerprint Reader (in Power Button) and Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification
4: Contacted Smart Card, Contactless Smart Card NFC and Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification
5: Touch Fingerprint Reader(in Power Button), Contacted Smart Card, Contactless Smart Card NFC and Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification
Optional Face IR camera (Windows Hello compliant) with ExpressSign-In 1.0 (Proximity Sensor)
Dell Client Command Suite
Optional Dell Endpoint Security and Management Software
VMware Carbon Black Endpoint Standard
VMware Carbon Black Endpoint Standard + Secureworks Threat Detection and ResponseDell Encryption Enterprise
Dell Encryption Personal
Carbonite
VMware Workspace ONE
Absolute® Endpoint Visibility and Control
Netskope
Dell Supply Chain Defense

Technical Specifications

7420

11th Generation Intel® Core™
Processors up to i7 vPro 4-Core

Microsoft® Windows 10 Pro 64 bit
Microsoft® Windows 10 Home 64 bit
Ubuntu 20.04 LTS (Laptop)

Up to 32GB LPDDR4 SDRAM
(on board) 4266MHz

Integrated with the Processor

Intel® Rapid Storage Technology

Integrated Intel® Iris® Xe Graphics

2-in-1

14.0" FHD (1920x1080) Anti-reflective and Anti-smudge, Super Low Power, Touch, Corning® Gorilla Glass® 6 DXC, WVA, 300 nits, sRGB 100%, Active Pen Support
Laptop
14.0" FHD (1920 x 1080) Anti-glare, Non-touch, WVA, 250 nits, NTSC 45%
14.0" FHD (1920 x 1080) Anti-glare, Super Low Power, Non-Touch, WVA, ComfortView Plus Low Blue Light, 400 nits, sRGB 100%
14.0" FHD (1920 x 1080) Anti-glare, Integrated Touch, WVA, 300 nits, NTSC 72%
14.0" FHD (1920 x 1080) Anti-glare, Touch, Digital Privacy SafeScreen, WVA, 300 nits, sRGB 100%
14.0" UHD (3840 x 2160) Anti-glare, Super Low Power, Non-Touch, ComfortView Plus Low Blue Light, WVA, 400 nits, sRGB 100%

SSD M.2 2230 PCIe Gen 3 NVMe up to 512GB
SSD M.2 2280 PCIe Gen 3 NVMe up to 1TB
SSD M.2 2280 PCIe Gen 3 NVMe up to 512GB OPAL SED

TPM 2.0 FIPS 140-2 Certified, TCG Certified
Optional Windows Hello Compliant Fingerprint Reader in power button
Optional Security Hardware Authentication Bundles
1: Touch Fingerprint Reader (in Power Button) with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification
2: Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification
3: Touch Fingerprint Reader (in Power Button) and Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification
4: Contacted Smart Card, Contactless Smart Card NFC and Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification
5: Touch Fingerprint Reader(in Power Button), Contacted Smart Card, Contactless Smart Card NFC and Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification
Optional Face IR camera (Windows Hello compliant) with ExpressSign-In 1.0 (Proximity Sensor)
Dell Client Command Suite
Dell BIOS Verification
Optional Dell Endpoint Security and Management Software
VMware Carbon Black Endpoint Standard
VMware Carbon Black Endpoint Standard + Secureworks Threat Detection and Response
Dell Encryption Enterprise
Dell Encryption Personal
Carbonite
VMware Workspace ONE
Absolute® Endpoint Visibility and Control
Netskope
Dell Supply Chain Defense

Technical Specifications

7520

11th Generation Intel® Core™
Processors up to i7 vPro 4-Core

Microsoft® Windows 10 Pro 64 bit
Microsoft® Windows 10 Home 64 bit
Ubuntu 20.04 LTS (Laptop)

Up to 32GB LPDDR4 SDRAM
(on board) 4266MHz

Integrated with the Processor

Intel® Rapid Storage Technology

Integrated Intel® Iris® Xe Graphics

Laptop

15.6" FHD (1920 x 1080) Anti-glare, Non-touch, WVA, 250 nits, NTSC 45%
15.6" FHD (1920 x 1080) Anti-glare, Super Low Power, Non-Touch, WVA, ComfortView Plus Low Blue Light, 400 nits, sRGB 100%
15.6" FHD (1920 x 1080) Anti-glare, Integrated Touch, WVA, 250 nits, NTSC 72%
15.6" UHD (3840 x 2160) Anti-glare, Super Low Power, Non-Touch, ComfortView Plus Low Blue Light, WVA, 400 nits, sRGB 100%

SSD M.2 2230 PCIe Gen 3 NVMe up to 512GB
SSD M.2 2280 PCIe Gen 3 NVMe up to 1TB
SSD M.2 2280 PCIe Gen 3 NVMe up to 512GB OPAL SED

TPM 2.0 FIPS 140-2 Certified, TCG Certified
Optional Windows Hello Compliant Fingerprint Reader in power button
Optional Security Hardware Authentication Bundles
1: Touch Fingerprint Reader (in Power Button) with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification
2: Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification
3: Touch Fingerprint Reader (in Power Button) and Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification
4: Touch Fingerprint Reader(in Power Button), Contacted Smart Card, Contactless Smart Card NFC and Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification
Optional Face IR camera (Windows Hello compliant) with ExpressSign-In 1.0 (Proximity Sensor)
Dell Client Command Suite
Optional Dell Endpoint Security and Management Software
VMware Carbon Black Endpoint Standard
VMware Carbon Black Endpoint Standard + Secureworks Threat Detection and ResponseDell Encryption Enterprise
Dell Encryption Personal
Carbonite
VMware Workspace ONE
Absolute® Endpoint Visibility and Control
Netskope
Dell Supply Chain Defense

Features & technical specifications

LATITUDE 7320 | 7420 | 7520

Feature	Technical Specifications	Technical Specifications	Technical Specifications
Docking ¹	Dell Thunderbolt™ Dock- WD19TB (optional, sold separately) Dell Dock- WD19 (optional, sold separately)	Dell Thunderbolt™ Dock- WD19TB (optional, sold separately) Dell Dock- WD19 (optional, sold separately)	Dell Thunderbolt™ Dock- WD19TB (optional, sold separately) Dell Dock- WD19 (optional, sold separately)
Optical Drive Options	External Options Only	External Options Only	External Options Only
Multimedia ¹	High Quality Speakers Universal Audio jack Noise reducing array microphones Optional HD RGB Camera + TNR + Camera Shutter Optional HD IR Camera + TNR + Proximity Sensor + Camera Shutter Optional FHD IR Camera + TNR + Proximity Sensor + Camera Shutter Skype For Business Certified	High Quality Speakers Universal Audio jack Noise reducing array microphones Optional HD RGB Camera + TNR + Camera Shutter Optional HD IR Camera + TNR + Proximity Sensor + Camera Shutter Optional FHD IR Camera + TNR + Proximity Sensor + Camera Shutter Skype For Business Certified	High Quality Speakers Universal Audio jack Noise reducing array microphones Optional HD RGB Camera + TNR + Camera Shutter Optional HD IR Camera + TNR + Proximity Sensor + Camera Shutter Optional FHD IR Camera + TNR + Proximity Sensor + Camera Shutter Skype For Business Certified
Battery Options ^{1,5}	3 cell 42 Whr ExpressCharge 2.0™ Capable Battery & Long Life Cycle capable 4 cell 63 Whr ExpressCharge 2.0™ Capable Battery & Long Life Cycle capable	3 cell 42 Whr ExpressCharge 2.0™ Capable Battery & Long Life Cycle capable 4 cell 63 Whr ExpressCharge 2.0™ Capable Battery & Long Life Cycle capable	3 cell 42 Whr ExpressCharge 2.0™ Capable Battery & Long Life Cycle capable 4 cell 63 Whr ExpressCharge 2.0™ Capable Battery & Long Life Cycle capable
Power Options ¹	65W adapter, Type-C 90W adapter, Type-C	65W adapter, Type-C 90W adapter, Type-C	65W adapter, Type-C 90W adapter, Type-C
Connectivity options ^{1,10}	Microsoft Modern Standby Compliant Wireless LAN Options^{8:} Intel® Wi-Fi 6 AX201 2x2 .11ax 160MHz + Bluetooth 5.1 Mobile Broadband Options^{8,10} Qualcomm® Snapdragon™ X20 LTE-A CAT 16 (DW5821e) eSIM capable, excluding China, Turkey, and US Qualcomm® Snapdragon™ X20 LTE-A CAT 16 (DW5821e) WW Qualcomm® Snapdragon™ X20 LTE-A CAT 16 (DW5821e) for AT&T, Verizon & Sprint, US only Qualcomm® Snapdragon™ X20 LTE-A CAT 9 (DW5829e) eSIM capable, excluding China, Turkey, and US Qualcomm® Snapdragon™ X20 LTE-A CAT 9 (DW5829e) WW Qualcomm® Snapdragon™ X20 LTE-A CAT 9 (DW5829e), Sprint, AT&T, Verizon, US only	Microsoft Modern Standby Compliant Wireless LAN Options^{8:} Intel® Wi-Fi 6 AX201 2x2 .11ax 160MHz + Bluetooth 5.1 Mobile Broadband Options^{8,10} Qualcomm® Snapdragon™ X20 LTE-A CAT 16 (DW5821e) eSIM capable, excluding China, Turkey, and US Qualcomm® Snapdragon™ X20 LTE-A CAT 16 (DW5821e) WW Qualcomm® Snapdragon™ X20 LTE-A CAT 16 (DW5821e) for AT&T, Verizon & Sprint, US only Qualcomm® Snapdragon™ X20 LTE-A CAT 9 (DW5829e) eSIM capable, excluding China, Turkey, and US Qualcomm® Snapdragon™ X20 LTE-A CAT 9 (DW5829e) WW Qualcomm® Snapdragon™ X20 LTE-A CAT 9 (DW5829e), Sprint, AT&T, Verizon, US only	Microsoft Modern Standby Compliant Wireless LAN Options^{8:} Intel® Wi-Fi 6 AX201 2x2 .11ax 160MHz + Bluetooth 5.1 Mobile Broadband Options^{8,10} Qualcomm® Snapdragon™ X20 LTE-A CAT 16 (DW5821e) eSIM capable, excluding China, Turkey, and US Qualcomm® Snapdragon™ X20 LTE-A CAT 16 (DW5821e) WW Qualcomm® Snapdragon™ X20 LTE-A CAT 16 (DW5821e) for AT&T, Verizon & Sprint, US only Qualcomm® Snapdragon™ X20 LTE-A CAT 9 (DW5829e) eSIM capable, excluding China, Turkey, and US Qualcomm® Snapdragon™ X20 LTE-A CAT 9 (DW5829e) WW Qualcomm® Snapdragon™ X20 LTE-A CAT 9 (DW5829e), Sprint, AT&T, Verizon, US only
Ports, Slots & Chassis ¹	2x USB Type C Thunderbolt™ 4.0 with Power Delivery & DisplayPort 1x USB 3.2 Gen 1 with Power share 1x HDMI 2.0 1x external uSIM card tray (optional) 1x uSD 4.0 Memory card reader 1x Optional Contacted SmartCard Reader 1x Optional Touch Fingerprint Reader in Power Button Wedge-shaped Lock slot	2x USB Type C Thunderbolt™ 4.0 with Power Delivery & DisplayPort 1x USB 3.2 Gen 1 with Power share 1x HDMI 2.0 1x external uSIM card tray (optional) 1x uSD 4.0 Memory card reader 1x Optional Contacted SmartCard Reader 1x Optional Touch Fingerprint Reader in Power Button Wedge-shaped Lock slot	2x USB Type C Thunderbolt™ 4.0 with Power Delivery & DisplayPort 2x USB 3.2 Gen 1, One with PowerShare 1x HDMI 2.0 1x external uSIM card tray (optional) 1x uSD 4.0 Memory card reader 1x Optional Contacted SmartCard Reader 1x Optional Touch Fingerprint Reader in Power Button Wedge-shaped Lock slot
Dimensions & Weight ^{1,15}	Width: 12.07" / 306.5 mm Height (Non-Touch FHD): 0.67" / 16.96mm Depth: 7.87" / 199.95 mm Laptop Starting Weight: 2.48 lbs / 1.12 kg 2-in-1 Starting Weight: 3.06 lbs / 1.39 kg (42 Whr battery, M.2 SSD, FHD LCD)	Width: 12.65" / 321.35mm Height (Non-Touch): 0.68" / 17.27mm Depth: 8.22" / 208.69 mm Laptop Starting Weight: 2.70 lbs / 1.22 kg 2-in-1 Starting Weight: 3.0 lbs / 1.36 kg (42 Whr battery, M.2 SSD, FHD LCD)	Width: 14.08" / 357.70mm Height (Non-Touch FHD): 0.69" / 17.5mm Depth: 9.05" / 229.75 mm Starting weight: 3.37 lbs / 1.53 kg (42 Whr battery, M.2 SSD, FHD LCD)
Regulatory and Environmental Compliance ¹	Laptop: Regulatory Model: P133G; Regulatory Type: P133G001 2-in-1: Regulatory Model: P134G; Regulatory Type: P134G001 ENERGY STAR compliant configurations available EPEAT Gold Registered. For specific country participation and rating, please see www.epeat.net BFR/PVC free ⁹ Trade Agreements Acts (TAA) configurations available	Laptop: Regulatory Model: P135G; Regulatory Type: P135G001 2-in-1: Regulatory Model: P136G; Regulatory Type: P136G001 ENERGY STAR compliant configurations available EPEAT Gold Registered. For specific country participation and rating, please see www.epeat.net BFR/PVC free ⁹ Trade Agreements Acts (TAA) configurations available	Laptop: Regulatory Model: P110F; Regulatory Type: P110F001 ENERGY STAR compliant configurations available EPEAT Gold Registered. For specific country participation and rating, please see www.epeat.net BFR/PVC free ⁹ Trade Agreements Acts (TAA) configurations available
Input ¹	Single Pointing Non-Backlit Keyboard, Spill Resistant Single Pointing Backlit Keyboard, Spill Resistant Microsoft® Precision Touchpad Dell Premium Active Pen PN579X (2-in-1 configs only, optional, sold separately)	Single Pointing Non-Backlit Keyboard, Spill Resistant Single Pointing Backlit Keyboard, Spill Resistant Microsoft® Precision Touchpad Dell Premium Active Pen PN579X (2-in-1 configs only, optional, sold separately)	Single Pointing Non-Backlit Keyboard, Spill Resistant Single Pointing Backlit Keyboard, Spill Resistant Microsoft® Precision Touchpad
Systems Management ¹	Intel® vPro™ Technology (iAMT 12) (optional, requires Intel Wi-Fi® Link WLAN and a vPro compatible processor), Dell Client Command Suite available (dell.com/command), Factory Installed Dell Client Command, Factory Installed Dell Optimizer	Intel® vPro™ Technology (iAMT 12) (optional, requires Intel Wi-Fi® Link WLAN and a vPro compatible processor), Dell Client Command Suite available (dell.com/command), Factory Installed Dell Client Command, Factory Installed Dell Optimizer	Intel® vPro™ Technology (iAMT 12) (optional, requires Intel Wi-Fi® Link WLAN and a vPro compatible processor), Dell Client Command Suite available (dell.com/command), Factory Installed Dell Client Command, Factory Installed Dell Optimizer
Warranty and Service ¹	Limited Hardware Warranty ⁴ , Standard 3 year Mail-in Service after Remote Diagnosis ¹¹ , optional 3, 4 and 5 year hardware warranty extensions, and 3-5 year Dell ProSupport contracts available ¹²	Limited Hardware Warranty⁴, Standard 3 year Mail-in Service after Remote Diagnosis¹¹, optional 3, 4 and 5 year hardware warranty extensions, and 3-5 year Dell ProSupport contracts available¹²	Limited Hardware Warranty ⁴ , Standard 3 year Mail-in Service after Remote Diagnosis ¹¹ , optional 3, 4 and 5 year hardware warranty extensions, and 3-5 year Dell ProSupport contracts available ¹²
Peripheral Ecosystem ¹	Wide range of accessories designed and tested for the Latitude 7320 enable productivity on the go or at the desk.	Wide range of accessories designed and tested for the Latitude 7420 enable productivity on the go or at the desk	Wide range of accessories designed and tested for the Latitude 7520 enable productivity on the go or at the desk.

See important information on page 7

DELL Technologies

LATITUDE 7320 | 7420 | 7520

Sleek looks, enhanced productivity



- 1 Offering may vary by country and by configuration and operating system
 - 2 A 64-bit operating system is required to support 4GB or more of system memory.
 - 3 GB means 1 billion bytes and TB equals 1 trillion bytes; actual capacity varies with preloaded material and operating environment and will be less.
 - 4 Limited Hardware Warranty: For copy of Limited Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see www.dell.com/warranty
 - 5 Battery support is dependent upon graphics support. Check technical guides for detailed support
 - 6 COMPUTRACE Not a Dell offer. Certain conditions apply. For full details, see terms and conditions at www.absolute.com/en/about/legal/agreements.
 - 7 Intel Rapid Storage Technology requires a HDD, mSATA, or an SSD, as primary storage device and Windows OS required
 - 8 Wireless antenna available only at time of system purchase
 - 9 Dell Latitude 7000 Series are brominated flame retardant free (BFR-free) and polyvinyl chloride free (PVC-free); meeting the definition of BFR-/PVC-free as set forth in the iNEMI Position Statement on the "Definition of Low-Halogen Electronics (BFR-/CFR-/PVC-free)": Plastic parts contain less than 1,000 ppm (0.1%) of bromine (if the Br source is from BFRs) and less than 1,000 ppm (0.1%) of chlorine (if the Cl source is from CFRs or PVC or PVC copolymers). All printed circuit board (PCB) and substrate laminates contain bromine/chlorine total less than 1,500 ppm (0.15%) with a maximum chlorine of 900 ppm (0.09%) and maximum bromine being 900 ppm (0.09%).
 - 10 Mobile Broadband Subject to service provider's broadband subscription and coverage area; additional charges apply.
 - 11 Mail-in Service after Remote Diagnosis: Remote Diagnosis is determination by online/phone technician of cause of issue; may involve customer access to inside of system and multiple or extend sessions. If issue is covered by Limited Hardware Warranty (www.dell.com/warranty) and not resolved remotely, technician and/or part will be dispatched, usually within 1 business day following completion of Remote Diagnosis. Availability varies. Other conditions apply.
 - 12 Dell Services: Availability and terms of Dell Services vary by region. For more information, visit www.dell.com/servicedescriptions.
 - 13 GB means 1 billion bytes and TB equals 1 trillion bytes; significant system memory may be used to support graphics, depending on system memory size and other factors.
 - 15 Weights vary depending on configuration and manufacturing variability.
 - 16 Nearly 3X Faster: 802.11ax 2x2 160 MHz enables 2402 Mbps maximum theoretical data rates, ~3X (2.8X) faster than standard 802.11ac 2x2 80 MHz (867 Mbps) as documented in IEEE 802.11 wireless standard specifications, and require the use of similarly configured 802.11ax wireless network routers. WPA3 Wi-Fi Security Features: The Wi-Fi Alliance industry consortium will certify Wi-Fi Products for compliance with the IEEE 802.11ax standard, and will require WPA3 security certification as a pre-requisite to ensure the latest in Wi-Fi security features. WPA3 Simplified Passwords: WPA3 uses Simultaneous Authentication of Equals (SAE) to replace the Pre-Shared Key (PSK) exchange protocol used by WPA2. SAE more securely handles initial key exchange and uses forward secrecy, which makes it more resistant to offline decryption attacks and provides stronger password-based authentication. WPA3 Enhanced Protection: Additional network protection comes from the equivalent of 192-bit cryptographic strength across an 802.11ax network and is superior to the 128-bit AES encryption utilized with WPA2. Claim D is based on industry standard WAP3 certification which parameters are broadly available <https://www.wi-fi.org/discover-wi-fi/security>
 - 17 EPEAT Gold registered in the U.S. EPEAT registration varies by country and configuration. See www.epeat.net for registration status by country.
 - 18 Based on Dell analysis, October 2020.
 - 19 Based on Dell internal analysis of battery life usage model calculations, Nov 2020. Results vary depending on usage and computing conditions.
 - 20 Based on Dell internal analysis, November 2019.
 - 21 Best network selection based on signal strength, channel congestion, router type and others. Network suggestions based on user credentials.
 - 22 ExpressResponse must be enabled in the Applications feature. DO learns how user uses the selected application(s) over several hours. Based on Dell testing using Sysmark 2018 benchmark runnin productivity applications, March 2020. Improvement will vary based on product configuration, use, application and other factors.
 - 23 ExpressSign-in available on Latitude 9000, 7000 and 5000 series. See product details for availability.
 - 24 ExpressCharge with Dell Optimizer (DO) requires 14 days to learn the user's behavior, then dynamically applies appropriate battery settings. DO Adaptive Battery setting must be enabled in the Power feature settings labeled "Adaptive Battery Performance". Improvement will vary based on product configuration, use, software, operating conditions, power management settings and other factor Improvements may decrease over time. System performance may be impacted. ExpressCharge can recharge system battery from 0% up to 80% within 60 minutes. After charging has reached 80% capacity, charging speed will return to normal speed. Recommended for use with the provided Dell power adapter; not recommended with a smaller capacity power adapter. Charging time may vary +/-10% due to system tolerance. ExpressCharge Boost can recharge system battery from 0% up to 35% within 20 minutes when system is powered-off and battery temperature is between 16-45 degrees C. With ExpressCharge mode enabled, the system battery can then continue charging up to 80% within 60 minutes. After charging has reached 80% capacity, charging speed will return to normal speed. Recommended for use with the provided Dell power adapter; not recommended with a smaller capacity power adapter. Charging time may vary +/-10% due to system tolerance.
 - 25 Based on Dell internal analysis of battery life usage model calculations and 3 million keystrokes per year, Nov 2019. Results vary depending on usage and computing conditions.
- ++ FirstNet and the FirstNet logo are registered trademarks of the First Responder Network Authority. All other marks are the property of their respective owners.